UNITED STATES DEPARTMENT OF AGRICULTURE U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT-FEDERAL HOUSING ADMINISTRATION U.S. DEPARTMENT OF VETERANS AFFAIRS

FORM APPROVED OMB NO. 0575-0042

Proposed Constru	uction	DESC	RIPTIO	NOF	MATE	RIALS ^	(To be inserted by Agency)		
Under Construction	Under Construction								
Property address	City					State			
Mortgagor or Sponso	r								
Contractor or Builder		(Nar	ne)				(Address)		
		(Nar	,				(Address)		
				RUCTIO					
1. For additional informati number of copies, etc., see th tion for Mortgage Insurance, \ Value or other, as the case ma	ne instructions applicable /A Request for Determina	be submitte to the FHA A tion of Rease	d, Applica- onable	minir	num require	ements cannot be co	ble will be assumed. Work exceeding onsidered unless specifically described.		
2. Describe all materials a shown on the drawings, by ma		d, whether o	r not	4 (Con ment	. Include no sideration of is not there	alternates, "or equa f a request for accep by precluded.)	al" phrases, or contradictory items. tance of substitute materials or equip-		
entering the information called	d for in each space. If spa	ce is inadeq	uate		5. Include signatures required at the end of this form.				
enter "Šee misc," and describ USE OF PAINT CONTAINING	MORE THAN THE PER			6	. The const	ruction shall be com	pleted in compliance with the related nded during processing. The specifi-		
BY WEIGHT PERMITTED BY 3. Work not specifically d	escribed or shown will no	t be conside	ered unless	catio	ns include th	his Description of Ma	aterials and the applicable building code.		
1. EXCAVATION:									
Footings: concrete m						U			
						-			
				•					
						•			
Waterproofing				Footing d	rains				
-									
	-						dation vents		
1									
3. CHIMNEYS:	<u></u>								
		Pre	fabricated (mai	ke and size,					
Flue lining: material		Hea	ater flue size _			Fireplace	flue size		
Vents (material and se	ize): gas or oil heater				; water	heater			
Additional information	on:								
	gas-buming;	circulator (a	make and size)			Ash dump and	d clean-out		
Fireplace: Facing	; lining			_ ; hearth		; mantel _			
	on:								
5. EXTERIOR WALLS Wood frame: wood g	rade, and species				Comer	bracing. Building	g paper or felt		
*							0.c.; 🗌 diagonal;		
							; fastening		
			••				; fastening , weight1		
							se flashing		
	faced stuccoe	d; total wal	ll thickness		; facing	thickness	; facing material		
							g		
							se flashing		
	dampproofing,					-			
							; number of coats		
Gable wall construction	on: 🛛 same as main						,		
6. FLOOR FRAMING:			1		. 1	:	; anchors		
Concrete slab:	basement floor; 🗌 f	irst floor;	ground su	upported;	self-s	supporting; mix _	; thickness		
reinforcing Fill under slab: materi	al	, 115018010	thickness	; Addi	tional info	; memorane			
7. SUBFLOORING: (L									
							, type onal information:		
8. FINISH FLOORING:		-			, 				
	ROOMS	GRADE	SPECIES	THICK- NESS	WIDTH	BLDG.PAPER	FINISH		
First floor									
	sq. ft								
Additional information									
According to the Paperwork Red	uction Act of 1995, an agenc	y may not con	duct or sponsor, a	ind a person i	s not require	d lo respond to a colle mplete this informatio	ction of information unless it displays a valid OMB n collection is estimated to average 15 minutes per		
response, including the time for rev							and reviewing the collection of information.		
HUD-FHA 2005 VA Form 26-1852							RD 1924-2 (Rev. 7-99)		

9. F	PARTITION FR Studs: wood, grad		es		size and	spacing			Other		
	Additional inform										
10.	CEILING FRAM Joists: wood, grad	-	es		Other			Bridg	ing		
	Additional inform										
11.	ROOF FRAMIN Rafters: wood, gr	-	ies		Ro	of trusses (see	detail): grade	and species			
	Additional inform	-					-	-			
12.	ROOFING										ed" o.c.
	Sheathing: wood,									-	
	Roofing						• •				
	Underlay										
	Built-up roofing										
	Flashing: materia									avel stops;	snow guard
13.	Additional inform GUTTERS AND	nation: DOWNSP	OUTS:								
	Gutters: material			; gage or v	weight	; size -	;	shape			
	Downspouts: mat										
	Downspouts con	nected to:	Storm sewer;	□ sanitary	sewer; \Box d	lry-well. 🗌	Splash blocks	s: material an	d size		
	Additional inform	mation:									
14.	LATH AND PLA	-	natarial		. waiaht an	thistmass	Dla	ster: costs	finish		
	Dry-wall walls,										
	Joint treatment	-	gs. materiar _		; thickn	less	; iinisn				
15.	DECORATING:		paper, etc.)								
	ROOMS			H MATERIA	L AND APPL	ICATION	CE	LING FINISH	I MATERIAL	AND APPLIC	CATION
	Kitchen										
	Bath Other										
	Additional inform										
16.	INTERIOR DOG										
	Doors: type				; ma	terial			- thickness		
	Door trim: type										
	Finish: doors					; trim					
	Other trim (item, 2	Type and loca	ation)								
47	Additional inform	mation:									
17.	WINDOWS: Windows: type		: make			_: material _			- : sash thick	mess	
	Glass: grade										
	Trim: type									-	
	Weatherstripping										
	Screens: full										
	Basement windo	ws: type		_; material -		; scr	eens, number		- ; Storm sas	sh, number _	
	Special windows	5									
	Additional infor										
18.	ENTRANCES A		-		. 14	4.1		Enomos motor		4.1	
	Main entrance de Other entrance d	oors: materia		;	width	; thicknes	s	Frame: mater	rial ———	thick ; thick	mess
	Head flashing _	oors. materia		, v	Veatherstrippi	ng: type	s	· s	addles	, unck	
		ckness	; number	: scr	een cloth mate	erial	; saddles; number;				
	Combination sto										
	Shutters: hin	ged; 🗌 fiz	ked. Railings				; Attic lo	uvers			
	Exterior millwor	k: grade and	species			Paint _			; nui	mber coats _	
	Additional inform										
19.	CABINETS AN	-									
	Kitchen cabinets										
					-			-	-		
	Medicine cabine										
	Other cabinets a										
	Additional inform	mation:									
20.	S <u>TAIRS:</u>	Г				1		1		1	
	CT A ID	TREADS		RISERS		STRINGS		HANDRAIL		BALUSTERS	
	STAIR	Material Thickness		Material	Thickness	Material	Thickness	Thickness Material Thickness		Material Thickness	
	Basement										
	Main										
	Attic										
	Disappearing: m	ake and mod	lel number —								

Additional information: -

HUD-FHA 2005 VA Form 26-1852

21. SPECIAL FLOORS AND WAINSCOT: (Describe carpet as listed in Certified Products Directory.)

		Location	Material, Color, Border, Sizes, Gage, Etc.				Threshold Material	Wall Base Material		nderfloor Material
	s	z Kitchen					Materiai		Hateria	
	Floors	Bath								
	щ									
	ot	Location		Material	, Color, Border, Sizes, Gage, E	tc.	Height	Height Over Tub		nt in Showers om Floor)
	Wainscot	Path						Over Tub	(Fr	om Floor)
	Wa	Bath								
	Bath	room accessorie	s:	Recessed; materi	al; num	ber; 🗌 Attach	ned; material	;	numb	er
	Add	itional information	on:							
22	PLI	MBING								
22.		Fixture	Number	Location	Make	Mfr's Fixture I	dentification No.	Size		Color
	Sinl	(Tumber	Location	Wake					
		atory								
		er closet								
		ntub								
	Sho	wer over tub								
	Stal	ll shower								
	Lau	ndry trays								
	_									
	A] Curtain rod A	4 🗌 Do	oor Show	er pan: material					
					stem: individual (priva					
					system: 🗌 individual (pri			. ,		
					nplete detail in separate dra					
	Wat	er piping: g	alvanize	d steel; Copp	er tubing; other	louse sewer (outside).		till cocks numb	ner	
					; make and model _					
					tank: material					
	Gas				t. gas; dother					
	Foot	ting drains conne	cted to	storm sew	ver; sanitary sewer;	dry well Sump pum	Gas piping.	el		iouse neuting.
					; discha					
23.	HEA	TING	-, capaci							
			Steam.	Vapor.	One-pipe system.	Two-pipe system.				
	L	Radiators.			aseboard radiation. Make a					
	_	Radiant panel:			ceiling. Panel coil: mate					
	Circulator. Return pump. Make and model ; capacity gpn Boiler: make and model Output Btuh.; net rating Btuh									
	Boiler: make and model Btuh.; net rating Btuh. Additional information:									
					f system					
		Duct material: s	upply		_ return	Insulation	: thickne	ess [Outs	ide air intake.
		Fumance: make	and mod	lel		Input _		Btuh.;output		Btuh.
		Additional infor	mation:							
	Additional information:									
		Make, model			Additional in	formation:				
	Con	trols: make and	types —							
	Add	litional informati	on:							
	Fuel	l: □Coal; □oi	1; 🗌 gas	s; 🗆 liq. pet. gas	$s; \square$ electric; \square other $_$; storage	capacity		
		Additional infor	mation:							
	Firi	ng equipment fui	nished s	eparately:	Gas burner, conversion type	e. Stoker: hoppo	er feed ∐;bin	feed 🗀		
			ressure a	tomizing; \Box_{Va}	porizing					
	-									
	Elec					-		-		Btuh.
										ofm
	Ven	tilating equipme			odel			, capacity	·	cīm.
	<u> </u>			en exhaust fan, mal						
24	Oth EIE	er heating, ventil CTRIC WIRING	ating, or 2•	cooling equipme	ent —					
24.	Serv	vice; 🗌 overhead	3. 1; □ ur	derground. Pane	1: 🗌 fuse box; 🗌 circu	uit-breaker; make		AMP's	_No. cir	cuits
Wiring: Conduit: armored cable; nonmetallic cable; knob and tube; other										
	Spe	cial outlets:	range;	water heater;	other					
		Doorbell. 🗌 Cł	imes. Pu	sh-button location	ons	Additional information	n:			
25.	LIG	ITING FIXTUR	ES:							
	Tota	al number of fixt	ures		tal allowance for fixtures, ty		\$			
	Non	typical installati	on							
		litional informati								

26. INSULATION:

A MODEL TION.							
Thickness	Material, Type, and Method of Installation	Vapor Barrier					
	1						

27. **MISCELLANEOUS:** (Describe any main dwelling materials, equipment, or construction items not shown elsewhere; or use to provide additional information where the space provided was inadequate. Always reference by item number to correspond to numbering used on this form.)

HARDWARE: (make, material, and finish.)

SPECIAL EQUIPMENT: (State material or make, model and quantity. Include only equipment and appliances which are acceptable by local law, custom and applicable FHA standards. Do not include items which, by established custom, are supplied by occupant and removed when he vacates premises or chattels prohibited by law from becoming realty.)

PORCHES:

TERRACES:

GARAGES:

WALKS AND DRIVEWAYS:							
Driveway: width; base material	; thickness surfacing material	; thickness					
Front walk: width; material	thickness Service walk: width; material	; thickness					
Steps: material	; treads; risers; Check walls						

OTHER ONSITE IMPROVEMENTS:

(Specify all exterior onsite improvements not described elsewhere, including items such as unusual grading, drainage structures, retaining walls, fence, railings, and accessory structures.)

LANDSCAPING, PLANTING, AND FINISH GRADING:

Topsoil " thick: front yard: side yards; rear yard to	feet behind main building.
Lawns (seeded, sodded, sprigged):.	rear yard
Planting: as specified and shown on drawings; as follows:	
Shade trees, deciduous raliper	Evergreen trees, to', B & B.
Low flowering trees, deciduous, to ¹	Evergreen shrubsto', B & B.
High-growing shrubs, deciduous, to	Vines, 2-years
Medium-growing shrubs, deciduous,, to	
Low-growing shrubs, deciduous, to	
=	

IDENTIFICATION. This exhibit shall be identified by the signature of the builder, or sponsor, and/or the proposed mortgagor if the latter is known at the time of application.

Date _

Signature

Signature